



Device Management & App Install ID Info 4000, ID Info 9000

iDTRONIC GmbH
Ludwig-Reichling-Straße 4
67059 Ludwigshafen
Germany/Deutschland

Issue 1.0
– 23 June 2026 –

Phone +49 621 6690094-0
Fax +49 621 6690094-9
E-Mail info@idtronic-rfid.com
Web <https://idtronic-rfid.com/>

Subject to alteration without prior notice.
© Copyright iDTRONIC GmbH 2026
Printed in Germany

Contents

1	Introduction	2
2	Device Management	2
2.1	Local Device Manger	3
2.1.1	Network Configuration	3
2.1.2	System Information	3
2.1.3	App Installation	4
2.1.4	System Configuration	4
2.2	Web Portal	5

1 Introduction


This tutorial is only applicable to devices with system version > 2.1.0.

An easy way to identify if a device is compatible is to see if the device shows a grey screen on startup for at least 2 seconds. If yes, then the following instructions work, if not, please refer to the general user manual.


2 Device Management

To enter device management mode,

1. Long-press anywhere on the screen when the solid grey screen shows during startup.



2. Enter the password (for new devices the default password is "314159", you can change it later).



The device is now in the management menu. There you can configure the network, get system information, configure the device mode and password and install apps via URL. A network connection is required for uploading apps.

For easier access and installation of apps directly from your PC, it is recommended to use the web portal as described in section 2.2.


2.1 Local Device Manger



2.1.1 Network Configuration

If an ethernet cable is connected to the device, it will automatically try to connect to the network.

For WiFi, enter the network configuration menu, select WiFi and enter the WiFi credentials. The device will try to connect to the network.




2.1.2 System Information

In the system info menu, device information such as device model, SDK version, system version and information on the installed app can be viewed.



2.1.3 App Installation

In the install app menu, you can enter a URL pointing to a .dpk file. The device will download and install the new app.



2.1.4 System Configuration

In the system config menu, you can change the device mode and the password to enter the device manager. Please note that the installed app will only start if the device is in production or test mode.



2.2 Web Portal

To access the web portal, connect the device to the same network as your PC. You can use an ethernet or WiFi connection as described in section 2.1.1. Once the device is connected to the network, the device will host its own web portal that you can access via the URL that is displayed in the menu.

When you open the URL in a browser of your choice, you have access to the same device configurations as are locally displayed on the device. Additionally, at the bottom of the page, you have the option to select a .dpk file from your PC and upload and install it to the device.

